

TECHNICAL CARD



LED Headlamp

VIDEX®



WARRANTY 2 YEARS

General parameters

Operation mode	TURBO, HIGH, MIDDLE, LOW, RED HIGH, RED MIDDLE, RED LOW, RED FLASH, GREEN HIGH, GREEN MIDDLE, GREEN LOW, GREEN FLASH
Light source replaceable	no

Type of light source

Dimmable	yes
Technology	LED

Electrical parameters

Input interface	USB-C
------------------------	-------

Photometric parameters

Useful luminous flux of the contained light source (Φ_{use})	500 Lm
Peak luminous intensity	920 cd
Correlated color temperature	5000K (neutral white), Red, Green

VIDEX VLF-H046Z 500Lm 5000K

INDEX: VLF-H046Z

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery type	Li-pol
Battery capacity	1200 mAh
Battery indicator	4 level
Battery replaceable	no
Mercury content	Does not contain
Ingress protection	IP65
Housing material	Polyamide

Dimensions

EAN	4820246488136
In the package	1 pc.
Height	40.5 mm
Outer box	20 pcs.
Width	36.5 mm
Depth	72 mm
Unit nett weight	96g

Signs marking goods

Packaging marking	CE, Utilization
--------------------------	-----------------

VIDEX®

VIDEX VLF-H046Z 500Lm 5000K

INDEX: VLF-H046Z



VIDEX[®]


VIDEX VLF-H046Z 500Lm 5000K

INDEX: VLF-H046Z

VIDEX®

VIDEX VLF-H046Z 500Lm 5000K

INDEX: VLF-H046Z



VIDEX®

VIDEX VLF-H046Z 500Lm 5000K

INDEX: VLF-H046Z



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



— The protection is effective in case of a fall from a height of up to 1 meter



— The product supports brightness adjustment



— Operating temperatures range



— The product does not contain mercury



— Class of protection against dust and moisture.
The product has full protection against dust and water jets from all directions

Date: 4.06.2026