

TECHNICAL CARD



Ceiling spotlight luminaire



VIDEX®



IK07



-20° +40°C



Free



IP20

WARRANTY 2 YEARS

The body of the lamp is made of aluminum - a light and durable metal that is not subject to corrosion. Individual parts of the case are covered with transparent varnish or matte paint with a sandy texture, resistant to small scratches.

General parameters

Light source replaceable	end user
--------------------------	----------

Electrical parameters

Rated voltage, frequency	AC 220-240 V, 50/60 Hz
--------------------------	------------------------

Input interface	Terminal block
-----------------	----------------

Electric shock protection class	I
---------------------------------	---

Additional information

Place of installation	Ceiling
-----------------------	---------

Place of application	indoor
----------------------	--------

Impact protection	IK07
-------------------	------

Housing colour	White
----------------	-------

Operating temperature range	-20° +40°C
-----------------------------	------------

Mercury content	Does not contain
-----------------	------------------

Ingress protection	IP20
--------------------	------

VIDEX-GU10-TREVOR-WHITE

INDEX: VL-SPF03A-SPW

Housing material	Aluminum
------------------	----------

Dimensions

EAN	4820246482066
-----	---------------

Height	120 mm
--------	--------



Outer box	20 pcs.
-----------	---------

Width	60 mm
-------	-------

Depth	60 mm
-------	-------



INDEX: VL-SPF03A-SPW



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product must be used indoors



Protection against electric shock class I. A product in which the means of protection against electric shock, in addition to the main insulation, is an additional protective circuit connected to the grounding of the power supply network



— The product withstands a medium impact (e.g., from a blunt object)



— Operating temperatures range



— The product does not contain mercury



— Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture