

VIDEX for GX53 lamp VL-SPF18B-W

INDEX: VL-SPF18B-W

TECHNICAL CARD



Ceiling spotlight luminaire











NOT.







WARRANTY 2 YEARS

General parameters

Light source replaceable	end user

Electrical parameters

Rated voltage, frequency	AC 220-240 V, 50/60 Hz
Input interface	Terminal block
Electric shock protection class	1

Additional information

Place of installation	Ceiling
Place of application	indoor
Housing colour	White
Impact protection	IK07
Operating temperature range	-25° +50°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	Aluminum

Dimensions

EAN	4820246484718
Height	82 mm

VIDEX for GX53 lamp VL-SPF18B-W

INDEX: VL-SPF18B-W

Width	80 mm
Depth	80 mm
Outer box	50 pcs.
Unit nett weight	300g
In the package	1 pc.

Signs marking goods

Packaging marking	CE, Utilization
. ackaging inaliking	CE, Cemedicin







VIDEX for GX53 lamp VL-SPF18B-W

INDEX: VL-SPF18B-W







We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.

Date: 4.12.2024