

**INDEX: VL-TF20-RGB** 

# **TECHNICAL CARD**



LED Ambient Floor Light













#### **INDEX: VL-TF20-RGB**











#### **WARRANTY 2 YEARS**

General	parameters

Light source replaceable	no
--------------------------	----

# Type of light source

Dimmable	remote controller
Technology	LED

# **Electrical parameters**

Rated voltage, frequency	DC 5 V
Rated current	2 A
Input interface	USB-A
Electric shock protection class	III

# **Photometric parameters**

Correlated color temperature	RGB + White
Beam angle	360°
Lifetime	30000 h
On/Off cycles	40000

#### **Additional information**

Place of installation	Floor

Place of application	indoor
Housing colour	White
Ultraviolet radiation	no
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	ABS, PP

#### **Dimensions**

EAN	4820246485463
Height	1515mm
Width	128 mm
Depth	128 mm
Outer box	4 pcs.
Unit nett weight	570g
In the package	1 pc.

# Signs marking goods

	Recycling of
Packaging marking	waste, CE,
	Utilization




INDEX: VL-TF20-RGB





INDEX: VL-TF20-RGB







# Ħ□



#### VIDEX VL-TF20-RGB

**INDEX: VL-TF20-RGB** 

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024