

TECHNICAL CARD



LED Ambient Floor Light



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX[®]



360°



30 000 h

ON/OFF
40 000

Free



-20° +40°C



Free



IP20

WARRANTY 2 YEARS

General parameters

Light source replaceable	no
--------------------------	----

Type of light source

Dimmable	remote controller
----------	-------------------

Technology	LED
------------	-----

Electrical parameters

Rated voltage, frequency	DC 5 V
--------------------------	--------

Rated current	2 A
---------------	-----

Input interface	USB-A
-----------------	-------

Electric shock protection class	III
---------------------------------	-----

Photometric parameters

Correlated color temperature	RGB + White
------------------------------	-------------

Beam angle	360°
------------	------

Lifetime	30000 h
----------	---------

On/Off cycles	40000
---------------	-------

VIDEX VL-TF20-RGB

INDEX: VL-TF20-RGB

Additional information

Place of installation	Floor
Place of application	indoor
Housing colour	White
Ultraviolet radiation	no
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	ABS, PP

Dimensions

EAN	4820246485463
Height	1515mm
Width	128 mm
Depth	128 mm
In the package	1 pc.
Outer box	4 pcs.
Unit nett weight	570g

Signs marking goods

Packaging marking	Recycling of waste, CE, Utilization
-------------------	-------------------------------------

VIDEX®

VIDEX VL-TF20-RGB

INDEX: VL-TF20-RGB

INDEX: VL-TF20-RGB

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

