

## TECHNICAL CARD



LED Batten Light



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



## WARRANTY 3 YEARS

### NEUTRAL WHITE



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

## General parameters

**Control gear replaceable** -

**Light source replaceable** by the producer

## Type of light source

**Energy class of the light source** E

**Dimmable** no

**Technology** LED

## Electrical parameters

**On-mode power (Pon)** 50 W

**Rated voltage, frequency** AC 185-265 V, 50/60 Hz

**Rated current** 240 mA

**Input interface** Free wire ends

## VIDEX-BATTEN-LED-50W-NW

### INDEX: VLE-BN-50124

**Electric shock protection class** I

## Photometric parameters

**Useful luminous flux of the light source (Φuse)** 6250 Lm

**Correlated color temperature** 4000K (neutral white)

**Beam angle** 120°

**Color rendering index (CRI)** Ra > 80

**Lifetime** 20000 h

**On/Off cycles** 20000

**Useful luminous flux of the light source reference** in a sphere (360°)

## Additional information

**Place of installation** Ceiling, Wall

**Place of application** indoor

**Housing colour** Unpainted aluminum

**Minimum distance from the illuminated object** 0.5 m

**Diffuser material** Plastic

**Ultraviolet radiation** no

**Operating temperature range** -20° +40°C

**Mercury content** Does not contain

**Ingress protection** IP20

**Housing material** Aluminum



## Dimensions

**VIDEX**<sup>®</sup>

VIDEX-BATTEN-LED-50W-NW

**INDEX: VLE-BN-50124**

<b>EAN</b>	5904405541012
<b>Height</b>	25 mm
<b>Width</b>	75 mm
<b>Depth</b>	1215 mm
<b>Outer box</b>	20 pcs.
<b>In the package</b>	1 pc.



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

Date: 2.01.2025