

TECHNICAL CARD



LED Batten Light



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



WARRANTY 3 YEARS

NEUTRAL WHITE



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

General parameters

Control gear replaceable -

Light source replaceable by the producer

Type of light source

Energy class of the light source E

Dimmable no

Electrical parameters

On-mode power (Pon) 48 W

Rated voltage, frequency AC 220-240 V, 50/60 Hz

Rated current 240 mA

Input interface Terminal block

Electric shock protection class I

VIDEX-HERMES-120CM-48W-IP65-NW

INDEX: VLE-BNW-48124

Photometric parameters

Useful luminous flux of the light source (Φuse)	6000 Lm
Correlated color temperature	4000K (neutral white)
Beam angle	120°
Color rendering index (CRI)	Ra > 80
Lifetime	50000 h
On/Off cycles	20000
Useful luminous flux of the light source reference	in a sphere (360°)

Additional information


Place of installation	Ceiling, Flat surface, Wall
Place of application	indoor, outdoor
Housing colour	White
Impact protection	IK08
Minimum distance from the illuminated object	0.5 m
Diffuser material	Plastic
Ultraviolet radiation	no
Operating temperature range	-20° +45°C
Mercury content	Does not contain
Ingress protection	IP65
Housing material	Aluminum

VIDEX[®]

VIDEX-HERMES-120CM-48W-IP65-NW

INDEX: VLE-BNW-48124**Dimensions**

EAN	5904405541425
Height	1200 mm
Width	87 mm
Depth	74 mm
Outer box	9 pcs.



Built-in terminal
block for convenient
and reliable
connection



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegra opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

Date: 2.01.2025