

## TECHNICAL CARD



LED Batten Light



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

## INDEX: VLE-BNW-48124



## WARRANTY 3 YEARS

### NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

## General parameters

**Control gear replaceable** -

**Light source replaceable** by the producer

## Type of light source

**Energy class of the light source** E

**Dimmable** no

## Electrical parameters

**On-mode power (Pon)** 48 W

**Rated voltage, frequency** AC 220-240 V, 50/60 Hz

**Rated current** 240 mA

**Input interface** Terminal block

**Electric shock protection class** I

## Photometric parameters

**Useful luminous flux of the light source (Φuse)** 6000 Lm

**Correlated color temperature** 4000K (neutral white)

**Beam angle** 120°

**Color rendering index (CRI)** Ra > 80

**Lifetime** 50000 h

**On/Off cycles** 20000

**Useful luminous flux of the light source reference** in a sphere (360°)

## Additional information

**Place of installation** Ceiling, Flat surface, Wall

**Place of application** indoor, outdoor

**Housing colour** White

**Impact protection** IK08

**Minimum distance from the illuminated object** 0.5 m

**Diffuser material** Plastic

**Ultraviolet radiation** no

**Operating temperature range** -20° +45°C

**Mercury content** Does not contain

**Ingress protection** IP65


**Housing material** Aluminum

**VIDEX**<sup>®</sup>

VIDEX-HERMES-120CM-48W-IP65-NW

**INDEX: VLE-BNW-48124****Dimensions**

<b>EAN</b>	5904405541425
<b>Height</b>	1200 mm
<b>Depth</b>	74 mm
<b>Width</b>	87 mm
<b>Outer box</b>	9 pcs.



Built-in terminal  
block for convenient  
and reliable  
connection



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegró Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024