

VIDEX®

VIDEX-E27-A108-50W-NW

INDEX: VLE-A108-50274

TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



330°



Ra ≥ 80



25 000 h

ON/OFF
20 000

-20° +40°C



Not Dimmable



Free



IP20

WARRANTY 2 YEARS

NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevrtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

Type of light source

Energy class of the light source F

Dimmable no

Electrical parameters

On-mode power (Pon) 50 W

Rated voltage, frequency AC 176-264 V, 50/60 Hz

Rated current 240 mA

Photometric parameters

Useful luminous flux of the light source (Φuse) 5400 Lm

Correlated color temperature 4000K (neutral white)

Beam angle 330°

Color rendering index (CRI) Ra > 80

VIDEX-E27-A108-50W-NW

INDEX: VLE-A108-50274

Lifetime	25000 h
On/Off cycles	20000
Useful luminous flux of the light source reference	in a sphere (360°)

Additional information

Place of application	indoor
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP20


Dimensions

EAN	5904405540206
Height	264 mm
Width	108 mm
Depth	108 mm
Outer box	20 pcs.

VIDEX®

VIDEX-E27-A108-50W-NW

INDEX: VLE-A108-50274



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

Date: 4.12.2024