

# VIDEX®

VIDEX-E27-A60-8W-CW

INDEX: VLE-A60e-08276

## TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



240°



Ra ≥ 80



20 000 h

ON/OFF  
20 000

-20° +40°C



Not Dimmable



Free



IP20

## WARRANTY 2 YEARS

### COLD WHITE



### 6000K

Cold White / Zimna biel / Studena bila / Blanc froid / Studená biela / Koud wit / Hideg feher / Hladno bela / Hladno bijela / Kaltweiß / Alb rece / Šalta balta / Auksti balta / Kúlm valge.

## Type of light source

|   |    |
|---|----|
| <b>Energy class of the light source</b> | F  |
| <b>Dimmable</b>                         | no |

## Electrical parameters

|                                 |                        |
|---------------------------------|------------------------|
| <b>On-mode power (Pon)</b>      | 8 W                    |
| <b>Rated voltage, frequency</b> | AC 175-250 V, 50/60 Hz |
| <b>Rated current</b>            | 70 mA                  |

## Photometric parameters

|  |                    |
|--|--------------------|
| <b>Useful luminous flux of the light source (Φuse)</b> | 760 Lm             |
| <b>Correlated color temperature</b>                    | 6000K (cold white) |
| <b>Beam angle</b>                                      | 240°               |
| <b>Color rendering index (CRI)</b>                     | Ra > 80            |

## VIDEX-E27-A60-8W-CW

### INDEX: VLE-A60e-08276

|   |                    |
|---|--------------------|
| <b>Lifetime</b>   | 20000 h            |
| <b>On/Off cycles</b>                                      | 20000              |
| <b>Useful luminous flux of the light source reference</b> | in a sphere (360°) |

## Additional information


|                                    |                  |
|------------------------------------|------------------|
| <b>Place of application</b>        | indoor           |
| <b>Operating temperature range</b> | -20° +40°C       |
| <b>Mercury content</b>             | Does not contain |
| <b>Ingress protection</b>          | IP20             |

## Dimensions

|                  |               |
|------------------|---------------|
| <b>EAN</b>       | 5904405540237 |
| <b>Height</b>    | 112 mm        |
| <b>Width</b>     | 60 mm         |
| <b>Depth</b>     | 60 mm         |
| <b>Outer box</b> | 20 pcs.       |

**VIDEX®**

VIDEX-E27-A60-8W-CW

**INDEX: VLE-A60e-08276**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

