

VIDEX®

VIDEX-E27-A60-8W-NW

INDEX: VLE-A60e-08274

TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



240°



Ra ≥ 80



20 000 h

ON/OFF
20 000

-20° +40°C



Not Dimmable



Free



IP20

WARRANTY 2 YEARS

NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

Type of light source

Energy class of the light source	F
-----------------------------------------	---

Dimmable	no
-----------------	----

Electrical parameters

On-mode power (Pon)	8 W
----------------------------	-----

Rated voltage, frequency	AC 220-240 V, 50/60 Hz
---------------------------------	------------------------

Rated current	70 mA
----------------------	-------

Photometric parameters

Useful luminous flux of the light source (Φ_{use})	760 Lm
-------------------------------------------------------------------	--------

Correlated color temperature	4000K (neutral white)
-------------------------------------	-----------------------

Beam angle	240°
-------------------	------

Color rendering index (CRI)	Ra > 80
------------------------------------	---------

VIDEX-E27-A60-8W-NW

INDEX: VLE-A60e-08274

Lifetime	20000 h
-----------------	---------

On/Off cycles	20000
----------------------	-------

Useful luminous flux of the light source reference	in a sphere (360°)
-----------------------------------------------------------	--------------------

Additional information

Place of application	indoor
-----------------------------	--------

Operating temperature range	-20° +40°C
------------------------------------	------------

Mercury content	Does not contain
------------------------	------------------

Ingress protection	IP20
---------------------------	------

Dimensions

EAN	5904405540220
------------	---------------

Height	112 mm
---------------	--------

Width	60 mm
--------------	-------


Depth	60 mm
--------------	-------

Outer box	20 pcs.
------------------	---------

VIDEX®

VIDEX-E27-A60-8W-NW

INDEX: VLE-A60e-08274



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

