

VIDEX®

VIDEX-E27-A96-30W-NW

INDEX: VLE-A96-30274

TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



330°



Ra ≥ 80



25 000 h

ON/OFF
20 000

Not Dimmable



Free



IP20

WARRANTY 2 YEARS

NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

Type of light source

Energy class of the light source F

Dimmable no

Electrical parameters

On-mode power (Pon) 30 W

Rated voltage, frequency AC 176-264 V, 50/60 Hz

Rated current 140 mA

Photometric parameters

Useful luminous flux of the light source (Φ_{use}) 3200 Lm

Correlated color temperature 4000K (neutral white)

Beam angle 330°

Color rendering index (CRI) Ra > 80

VIDEX-E27-A96-30W-NW

INDEX: VLE-A96-30274

Lifetime 25000 h

On/Off cycles 20000

Useful luminous flux of the light source in a sphere (360°)
reference

Additional information

Place of application indoor

Operating temperature range -20° +40°C

Mercury content Does not contain

Ingress protection IP20

Dimensions

EAN 5904405540190

Height 228 mm



Depth 96 mm

Width 96 mm

Outer box 20 pcs.

VIDEX®

VIDEX-E27-A96-30W-NW

INDEX: VLE-A96-30274

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024