

# VIDEX®

VIDEX-E27-A96-30W-NW

INDEX: VLE-A96-30274

## TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



330°



Ra ≥ 80



25 000 h

ON/OFF  
20 000

-20° +40°C



Not Dimmable



Free



IP20

## WARRANTY 2 YEARS

### NEUTRAL WHITE



### 4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

### Type of light source

<b>Energy class of the light source</b>	F
-----------------------------------------	---

<b>Dimmable</b>	no
-----------------	----

### Electrical parameters

<b>On-mode power (Pon)</b>	30 W
----------------------------	------

<b>Rated voltage, frequency</b>	AC 176-264 V, 50/60 Hz
---------------------------------	------------------------

<b>Rated current</b>	140 mA
----------------------	--------

### Photometric parameters

<b>Useful luminous flux of the light source (Φ<sub>use</sub>)</b>	3200 Lm
-------------------------------------------------------------------	---------

<b>Correlated color temperature</b>	4000K (neutral white)
-------------------------------------	-----------------------

<b>Beam angle</b>	330°
-------------------	------

<b>Color rendering index (CRI)</b>	Ra > 80
------------------------------------	---------

## VIDEX-E27-A96-30W-NW

### INDEX: VLE-A96-30274

<b>Lifetime</b>	25000 h
<b>On/Off cycles</b>	20000
<b>Useful luminous flux of the light source reference</b>	in a sphere (360°)

### Additional information

<b>Place of application</b>	indoor
<b>Operating temperature range</b>	-20° +40°C
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP20



### Dimensions

<b>EAN</b>	5904405540190
<b>Height</b>	228 mm
<b>Width</b>	96 mm
<b>Depth</b>	96 mm
<b>Outer box</b>	20 pcs.

# VIDEX®

VIDEX-E27-A96-30W-NW

INDEX: VLE-A96-30274



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegra opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

Date: 2.01.2025