

VIDEX®

VIDEX-E27-G45-4W-WW

INDEX: VLE-G45e-04273

TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



240°



Ra ≥ 80



20 000 h

ON/OFF
20 000

-20° +40°C



Not Dimmable



Free



IP20

WARRANTY 2 YEARS

WARM WHITE



3000K

Warm White / Ciepła biel / Tepla bila / Blanc chaud /
Tepla biela / Warm wit / Meleg feher / Topla bela / Topla
bijela / Warmweiß / Alb cald / Šiltai balta / Silti balta / Soe
valge / Тепло бяла / Bianco caldo.

Type of light source

Energy class of the light source	F
-----------------------------------------	---

Dimmable	no
-----------------	----

Electrical parameters

On-mode power (Pon)	4 W
----------------------------	-----

Rated voltage, frequency	AC 175-250 V, 50/60 Hz
---------------------------------	------------------------

Rated current	34 mA
----------------------	-------

Photometric parameters

Useful luminous flux of the light source (Φuse)	380 Lm
--------------------------------------------------------	--------

Correlated color temperature	3000K (warm white)
-------------------------------------	-----------------------

Beam angle	240°
-------------------	------

Color rendering index (CRI)	Ra > 80
------------------------------------	---------

VIDEX-E27-G45-4W-WW

INDEX: VLE-G45e-04273

Lifetime	20000 h
-----------------	---------

On/Off cycles	20000
----------------------	-------

Useful luminous flux of the light source reference	in a sphere (360°)
-----------------------------------------------------------	-----------------------

Additional information

Place of application	indoor
-----------------------------	--------

Operating temperature range	-20° +40°C
------------------------------------	------------

Mercury content	Does not contain
------------------------	------------------

Ingress protection	IP20
---------------------------	------

Dimensions

EAN	5904405540411
------------	---------------

Height	82 mm
---------------	-------


Width	45 mm
--------------	-------

Depth	45 mm
--------------	-------

Outer box	20 pcs.
------------------	---------

VIDEX[®]

VIDEX-E27-G45-4W-WW

INDEX: VLE-G45e-04273

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

