

TECHNICAL CARD



LED Bulb



VIDEX®



360°



Ra ≥ 80



20 000 h

ON/OFF
20 000

Dimmable



CCT 1800K



Free



IP20

WARRANTY 3 YEARS

WARM WHITE



1800K

Warm White / Ciepła biel / Tepla bila / Blanc chaud /
Tepla biela / Warm wit / Meleg feher / Topla bela / Topla
bijela / Warmweiß / Alb cald / Šiltai balta / Silti balta / Soe
valge / Toplo бяла / Bianco caldo.

Type of light source

Dimmable yes

Technology LED

Electrical parameters

On-mode power (Pon) 8 W

Rated voltage, frequency AC 220-240 V, 50/60 Hz

Rated current 52 mA

Photometric parameters

Useful luminous flux of the light source (Φ_{use}) 500 Lm

Correlated color temperature 1800K (warm white)

Beam angle 360°

Color rendering index (CRI) Ra > 80

VIDEX-E27-PS160-8W-FIL-DIM-SPIRAL-AMBER-WW1

INDEX: VLE-PS160FASD-08271

Lifetime 20000 h

On/Off cycles 20000

Useful luminous flux of the light source reference in a sphere (360°)

Chromaticity coordinates (x) 0.541

Chromaticity coordinates (y) 0.410

Colour consistency in MacAdam ellipses (SDCM) <6 (1800K)

Additional information

Place of application indoor

Operating temperature range -20° +40°C

Mercury content Does not contain

Ingress protection IP20

Dimensions

EAN 5904405542323

Height 320 mm

Depth 160 mm

Width 160 mm

Outer box 6 pcs.

VIDEX®


VIDEX-E27-PS160-8W-FIL-DIM-SPIRAL-AMBER-WW1

INDEX: VLE-PS160FASD-08271



VIDEX[®]

VIDEX-E27-PS160-8W-FIL-DIM-SPIRAL-AMBER-WW1

INDEX: VLE-PS160FASD-08271

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.