

# VIDEX®

VIDEX-E27-ST64-4W-FIL-DIM-SPIRAL-AMBER-WW

INDEX: VLE-ST64FASD-04272

## TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



360°



Ra ≥ 80



20 000 h

ON/OFF  
20 000

-20° +40°C



Dimmable



Free



IP20

## WARRANTY 3 YEARS

### WARM WHITE



### 2200K

Warm White / Ciepła biel / Tepla bila / Blanc chaud /  
Tepla biela / Warm wit / Meleg feher / Topla bela / Topla  
bijela / Warmweiß / Alb cald / Šiltai balta / Silti balta / Soe  
valge / Тепло бяла / Bianco caldo.

### Type of light source

<b>Energy class of the light source</b>	G
---	---

<b>Dimmable</b>	yes
-----------------	-----

### Electrical parameters

<b>On-mode power (Pon)</b>	4 W
----------------------------	-----

<b>Rated voltage, frequency</b>	AC 220-240 V, 50/60 Hz
---------------------------------	------------------------

<b>Rated current</b>	22 mA
----------------------	-------

### Photometric parameters

<b>Useful luminous flux of the light source (Φuse)</b>	300 Lm
--	--------

<b>Correlated color temperature</b>	2200K (warm white)
-------------------------------------	--------------------

<b>Beam angle</b>	360°
-------------------	------

<b>Color rendering index (CRI)</b>	Ra > 80
------------------------------------	---------

## VIDEX-E27-ST64-4W-FIL-DIM-SPIRAL-AMBER-WW

### INDEX: VLE-ST64FASD-04272

<b>Lifetime</b>	20000 h
-----------------	---------

<b>On/Off cycles</b>	20000
----------------------	-------

<b>Useful luminous flux of the light source reference</b>	in a sphere (360°)
---	--------------------

### Additional information

<b>Place of application</b>	indoor
-----------------------------	--------

<b>Operating temperature range</b>	-20° +40°C
------------------------------------	------------

<b>Mercury content</b>	Does not contain
------------------------	------------------

<b>Ingress protection</b>	IP20
---------------------------	------

### Dimensions

<b>EAN</b>	5904405540053
------------	---------------

<b>Height</b>	146 mm
---------------	--------

<b>Width</b>	64 mm
--------------	-------


<b>Depth</b>	64 mm
--------------	-------

<b>Outer box</b>	20 pcs.
------------------	---------

# VIDEX®

VIDEX-E27-ST64-4W-FIL-DIM-SPIRAL-AMBER-WW

INDEX: VLE-ST64FASD-04272



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

Date: 21.12.2024