

**VIDEX®**
**VIDEX-E27-ST64-4W-FIL-DIM-SPIRAL-GRAPHITE-WW**
**INDEX: VLE-ST64FGD-04271**

## TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



360°



Ra ≥ 80



20 000 h

ON/OFF  
20 000

Dimmable



Free



IP20

## WARRANTY 3 YEARS

### WARM WHITE



### 1800K

Warm White / Ciepła biel / Tepla bila / Blanc chaud /  
Tepla biela / Warm wit / Meleg feher / Topla bela / Topla  
bijela / Warmweiß / Alb cald / Šiltai balta / Silti balta / Soe  
valge / Тепло бяла / Bianco caldo.

## Type of light source

**Dimmable** yes

## Electrical parameters

**On-mode power (Pon)** 4 W

**Rated voltage, frequency** AC 220-240  
V, 50/60 Hz

**Rated current** 22 mA

## Photometric parameters

**Useful luminous flux of the light source  
(Φuse)** 100 Lm

**Correlated color temperature** 1800K  
(warm white)

**Beam angle** 360°

**Color rendering index (CRI)** Ra > 80

**Lifetime** 20000 h

## VIDEX-E27-ST64-4W-FIL-DIM-SPIRAL-GRAPHITE-WW

### INDEX: VLE-ST64FGD-04271

**On/Off cycles** 20000

**Useful luminous flux of the light source  
reference** in a sphere  
(360°)

## Additional information

**Place of application** indoor

**Operating temperature range** -20° +40°C

**Mercury content** Does not  
contain

**Ingress protection** IP20

## Dimensions

**EAN** 5904405540060


**Height** 146 mm

**Width** 64 mm

**Depth** 64 mm

**Outer box** 20 pcs.



**INDEX: VLE-ST64FGD-04271**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.