

VIDEX®

VIDEX-GU10-5W-36°-NW

INDEX: VLE-MR16eL-05104

TECHNICAL CARD



LED Bulb



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



36°



Ra ≥ 80



20 000 h

ON/OFF
20 000

-20° +40°C



Not Dimmable



Free



IP20

WARRANTY 2 YEARS

NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

Type of light source

Energy class of the light source	F
---	---

Dimmable	no
-----------------	----

Electrical parameters

On-mode power (Pon)	5 W
----------------------------	-----

Rated voltage, frequency	AC 220-240 V, 50/60 Hz
---------------------------------	------------------------

Rated current	43 mA
----------------------	-------

Photometric parameters

Useful luminous flux of the light source (Φ_{use})	400 Lm
---	--------

Correlated color temperature	4000K (neutral white)
-------------------------------------	-----------------------

Peak luminous intensity	500 cd
--------------------------------	--------

Beam angle	36°
-------------------	-----

VIDEX-GU10-5W-36°-NW

INDEX: VLE-MR16eL-05104

Color rendering index (CRI)	Ra > 80
Lifetime	20000 h
On/Off cycles	20000
Useful luminous flux of the light source reference	in a narrow cone (90°)

Additional information


Place of application	indoor
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP20

Dimensions

EAN	5904405540473
Height	55 mm
Width	50 mm
Depth	50 mm
Outer box	20 pcs.

VIDEX[®]

VIDEX-GU10-5W-36°-NW

INDEX: VLE-MR16eL-05104

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

