

## TECHNICAL CARD



LED Bulkhead Light



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



## WARRANTY 2 YEARS



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

### General parameters

**Light source replaceable** by the producer

### Type of light source

**Energy class of the light source** F

**Dimmable** no

### Electrical parameters

**On-mode power (Pon)** 11 W

**Rated voltage, frequency** AC 220-240 V, 50/60 Hz

**Rated current** 95 mA

**Input interface** Terminal block

**Electric shock protection class** II

## VIDEX-BULKHEAD-LED-GALA-11W-NW

### INDEX: VLE-BHFO-115

### Photometric parameters

**Useful luminous flux of the light source (Φuse)** 1200 Lm

**Correlated color temperature** 5000K (neutral white)

**Beam angle** 120°

**Color rendering index (CRI)** Ra > 80

**Lifetime** 25000 h

**On/Off cycles** 20000

**Useful luminous flux of the light source reference** in a sphere (360°)

### Additional information

**Place of installation** Ceiling, Flat surface, Wall

**Place of application** indoor, outdoor

**Impact protection** IK07

**Housing colour** White

**Minimum distance from the illuminated object** 0.5 m

**Diffuser material** Polycarbonate (PC)

**Ultraviolet radiation** no

**Operating temperature range** -20° +40°C

**Mercury content** Does not contain

**Ingress protection** IP65

**Housing material** Plastic

### Dimensions

**EAN** 5904405540947

**VIDEX®**

VIDEX-BULKHEAD-LED-GALA-11W-NW

**INDEX: VLE-BHFO-115**

<b>Height</b>	190 mm
<b>Width</b>	113 mm
<b>Depth</b>	40 mm
<b>Outer box</b>	24 pcs.



**INDEX: VLE-BHFO-115**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

