



# **TECHNICAL CARD**



Ceiling-mounted Light Fixture with microwave motion sensor















#### **INDEX: VL-BHR-E2726SB**









IP6

# WARRANTY 3 YEARS



## **General parameters**

Light source replaceable	end user
Electrical parameters	

On-mode power (Pon)	30W Max
Rated voltage, frequency	AC 230 V, 50/60 Hz
Input interface	Terminal block
Electric shock protection class	II

## **Photometric parameters**

Sensor light threshold	10-50 Lx

#### **Additional information**

Place of installation	Flat surface, Wall	
Place of application	indoor, outdoor	
Impact protection	IK08	
Housing colour	Black	
Diffuser material	Polycarbonate (PC)	
Minimum distance from the illuminated object	0.5 m	
Ultraviolet radiation	no	

Motion sensor	yes
Sensor type	Microwave
Sensor detection angle	360°
Sensor time delay	20 s - 10 min
Sensor detection distance	1 - 5 m
Operating temperature range	-30° +40°C
Suitable for installation in normally flammable surfaces	yes
Mercury content	Does not contain
Ingress protection	IP65
Housing material	Plastic

#### **Dimensions**

EAN	4820246487894
In the package	1 pc.
Outer box	10 pcs.
Height	265 mm
Width	265 mm
Depth	91 mm
Unit nett weight	570g

## Signs marking goods

Packaging marking	CE, Utilization
-------------------	-----------------














































#### **INDEX: VL-BHR-E2726SB**





We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product must be used indoors



The product must be used outdoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



Minimum distance from the illuminated object



The product can be installed and used in/on normally flammable surfaces



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The product withstands strong impacts (e.g., from a heavy object)



The product does not emit ultraviolet light



— The product does not contain mercury



Class of protection against dust and moisture.

— The product has full protection against dust and water jets from all directions

Date: 18.11.2025