

TECHNICAL CARD



Ceiling-mounted Light Fixture with microwave motion sensor



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.



IK08



Free



Free



IP65

WARRANTY 3 YEARS



General parameters

Light source replaceable end user

Electrical parameters

On-mode power (Pon) 30W Max

Rated voltage, frequency AC 230 V,
50/60 Hz

Input interface Terminal
block

Electric shock protection class II

Photometric parameters

Sensor light threshold 10-50 Lx

Additional information

Place of installation Flat surface, Wall

Place of application indoor, outdoor

Impact protection IK08

Housing colour Black

Diffuser material Polycarbonate
(PC)

**Minimum distance from the
illuminated object** 0.5 m

Ultraviolet radiation no

VIDEX VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB

Motion sensor	yes
Sensor type	Microwave
Sensor detection angle	360°
Sensor time delay	20 s - 10 min
Sensor detection distance	1 - 5 m
Operating temperature range	-30° +40°C
Suitable for installation in normally flammable surfaces	yes
Mercury content	Does not contain
Ingress protection	IP65
Housing material	Plastic

Dimensions

EAN	4820246487894
In the package	1 pc.
Height	265 mm
Outer box	10 pcs.
Width	265 mm
Depth	91 mm
Unit nett weight	570g

Signs marking goods

Packaging marking CE, Utilization

VIDEX[®]

VIDEX VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB

VIDEX®

VIDEX VL-BHR-E2726SB




INDEX: VL-BHR-E2726SB

VIDEX[®]

VIDEX VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product must be used indoors



The product must be used outdoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



Minimum distance from the illuminated object



The product can be installed and used in/on normally flammable surfaces



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The product withstands strong impacts (e.g., from a heavy object)



The product does not emit ultraviolet light



The product does not contain mercury



Class of protection against dust and moisture. The product has full protection against dust and water jets from all directions