

TECHNICAL CARD



Ceiling-mounted Light Fixture with microwave motion sensor



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.



IK08



Free



Free



IP65

WARRANTY 3 YEARS



General parameters

Light source replaceable	end user
---------------------------------	----------

Electrical parameters

On-mode power (Pon)	30W Max
----------------------------	---------

Rated voltage, frequency	AC 230 V, 50/60 Hz
---------------------------------	-----------------------

Input interface	Terminal block
------------------------	-------------------

Electric shock protection class	II
--	----

Photometric parameters

Sensor light threshold	10-50 Lx
-------------------------------	----------

Additional information

Place of installation	Flat surface, Wall
------------------------------	--------------------

Place of application	indoor, outdoor
-----------------------------	-----------------

Impact protection	IK08
--------------------------	------

Housing colour	Black
-----------------------	-------

Diffuser material	Polycarbonate (PC)
--------------------------	-----------------------

Minimum distance from the illuminated object	0.5 m
---	-------

Ultraviolet radiation	no
------------------------------	----

VIDEX VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB

Motion sensor	yes
----------------------	-----

Sensor type	Microwave
--------------------	-----------

Sensor detection angle	360°
-------------------------------	------

Sensor time delay	20 s - 10 min
--------------------------	---------------

Sensor detection distance	1 - 5 m
----------------------------------	---------

Operating temperature range	-30° +40°C
------------------------------------	------------

Suitable for installation in normally flammable surfaces	yes
---	-----

Mercury content	Does not contain
------------------------	------------------

Ingress protection	IP65
---------------------------	------

Housing material	Plastic
-------------------------	---------

Dimensions

EAN	4820246487894
------------	---------------

In the package	1 pc.
-----------------------	-------

Outer box	10 pcs.
------------------	---------

Height	265 mm
---------------	--------

Width	265 mm
--------------	--------

Depth	91 mm
--------------	-------

Unit nett weight	570g
-------------------------	------

Signs marking goods

Packaging marking	CE, Utilization
--------------------------	-----------------

VIDEX[®]

VIDEX VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB



VIDEX[®]

VIDEX VL-BHR-E2726SB




INDEX: VL-BHR-E2726SB

VIDEX[®]

VIDEX VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB

INDEX: VL-BHR-E2726SB



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product must be used indoors



The product must be used outdoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



Minimum distance from the illuminated object



The product can be installed and used in/on normally flammable surfaces



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The product withstands strong impacts (e.g., from a heavy object)



The product does not emit ultraviolet light



The product does not contain mercury



Class of protection against dust and moisture. The product has full protection against dust and water jets from all directions