

## TECHNICAL CARD



Ceiling-mounted Light Fixture with microwave motion sensor



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.



IK08



Free



Free



IP65

## WARRANTY 3 YEARS



### General parameters

<b>Light source replaceable</b>	end user
---------------------------------	----------

### Electrical parameters

<b>On-mode power (Pon)</b>	30W Max
----------------------------	---------

<b>Rated voltage, frequency</b>	AC 230 V, 50/60 Hz
---------------------------------	-----------------------

<b>Input interface</b>	Terminal block
------------------------	-------------------

<b>Electric shock protection class</b>	II
--	----

### Photometric parameters

<b>Sensor light threshold</b>	10-50 Lx
-------------------------------	----------

### Additional information

<b>Place of installation</b>	Flat surface, Wall
------------------------------	--------------------

<b>Place of application</b>	indoor, outdoor
-----------------------------	-----------------

<b>Impact protection</b>	IK08
--------------------------	------

<b>Housing colour</b>	Black
-----------------------	-------

<b>Diffuser material</b>	Polycarbonate (PC)
--------------------------	-----------------------

<b>Minimum distance from the illuminated object</b>	0.5 m
---	-------

<b>Ultraviolet radiation</b>	no
------------------------------	----

## VIDEX VL-BHR-E2726SB

### INDEX: VL-BHR-E2726SB

<b>Motion sensor</b>	yes
<b>Sensor type</b>	Microwave
<b>Sensor time delay</b>	20 s - 10 min
<b>Sensor detection angle</b>	360°
<b>Sensor detection distance</b>	1 - 5 m
<b>Operating temperature range</b>	-30° +40°C
<b>Suitable for installation in normally flammable surfaces</b>	yes
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP65
<b>Housing material</b>	Plastic

### Dimensions

<b>EAN</b>	4820246487894
<b>In the package</b>	1 pc.
<b>Height</b>	265 mm
<b>Outer box</b>	10 pcs.
<b>Width</b>	265 mm
<b>Depth</b>	91 mm
<b>Unit nett weight</b>	570g

### Signs marking goods

<b>Packaging marking</b>	CE, Utilization
--------------------------	-----------------

**VIDEX®**

VIDEX VL-BHR-E2726SB

**INDEX: VL-BHR-E2726SB**

# VIDEX®

## VIDEX VL-BHR-E2726SB

### INDEX: VL-BHR-E2726SB






**VIDEX®**

VIDEX VL-BHR-E2726SB

**INDEX: VL-BHR-E2726SB**

**VIDEX<sup>®</sup>****VIDEX VL-BHR-E2726SB****INDEX: VL-BHR-E2726SB**

## INDEX: VL-BHR-E2726SB



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.



The product must be used indoors



The product must be used outdoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



Minimum distance from the illuminated object



The product can be installed and used in/on normally flammable surfaces



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The product withstands strong impacts (e.g., from a heavy object)



The product does not emit ultraviolet light



The product does not contain mercury



Class of protection against dust and moisture. The product has full protection against dust and water jets from all directions