

## TECHNICAL CARD



LED Dimmable Desk Lamp



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



120°

ON/OFF  
25 000

40 000 h



Free



Dimmable



-10° +40°C



Free



IP20

## WARRANTY 2 YEARS

### General parameters

<b>Light source or containing product</b>	Containing product
<b>Control gear replaceable</b>	yes
<b>Light source replaceable</b>	no

### Type of light source

<b>Dimmable</b>	yes
<b>Technology</b>	LED
<b>Energy efficiency class of the contained light source</b>	F

### Electrical parameters

<b>On-mode power (Pon)</b>	17 W
<b>Rated voltage, frequency</b>	AC 100-240 V, 50/60 Hz
<b>Rated current</b>	150 mA
<b>Input interface</b>	AC adapter
<b>Electric shock protection class</b>	II

### Photometric parameters

## VIDEX VL-TF14W

### INDEX: VL-TF14W

<b>Luminous flux</b>	1000 Lm
<b>Correlated color temperature</b>	4100K (neutral white)
<b>Useful luminous flux of the contained light source (Φuse)</b>	1700 Lm
<b>Beam angle</b>	120°
<b>Color rendering index (CRI)</b>	Ra ≤ 98
<b>On/Off cycles</b>	25000
<b>Lifetime</b>	40000 h
<b>Useful luminous flux of the light source reference</b>	in a sphere (360°)

### Additional information

<b>Place of installation</b>	Desk
<b>Place of application</b>	indoor
<b>Housing colour</b>	White
<b>Ultraviolet radiation</b>	no
<b>Operating temperature range</b>	-10° +40°C
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP20
<b>Housing material</b>	Plastic

### Dimensions

<b>EAN</b>	4820246480642
<b>Height</b>	625 mm
<b>Depth</b>	204 mm
<b>Width</b>	204 mm
<b>In the package</b>	1 pc.

# VIDEX®

## VIDEX VL-TF14W

### INDEX: VL-TF14W

Outer box

6 pcs.

Signs marking goods

Packaging marking

CE, Utilization



The low reflection index of the lamp light reduces discomfort caused by glare from illuminated objects

**UGR < 19**



# VIDEX®

## VIDEX VL-TF14W

### INDEX: VL-TF14W

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.



Short touch - ON/OFF  
Long touch - smooth dimming



The product must be used indoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



120°

— Rated beam angle



25 000

— Rated On/off cycles



40 000 h

— Nominal lifetime (hours)



Free

— The product does not emit ultraviolet light



Dimmable

— The product supports brightness adjustment



-10° +40°C

— Operating temperatures range



Free

— The product does not contain mercury



IP20

— Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture