

**INDEX: VL-TF14W** 

# **TECHNICAL CARD**



LED Dimmable Desk Lamp











#### **INDEX: VL-TF14W**















<del>J/g</del>	
_	

-10 +40 C	Free	IP20
WARRAN	ITY 2 YE	ARS

# **General parameters**

Light source or containing product	Containing product
Control gear replaceable	yes
Light source replaceable	no

## Type of light source

Dimmable	yes
Technology	LED
Energy efficiency class of the contained light source	F

### **Electrical parameters**

On-mode power (Pon)	17 W
Rated voltage, frequency	AC 100-240 V, 50/60 Hz
Rated current	150 mA
Input interface	AC adapter
Electric shock protection class	II

#### **Photometric parameters**

Luminous flux	1000 Lm
Useful luminous flux of the contained light source ( <b>Φ</b> use)	1700 Lm
Correlated color temperature	4100K (neutral white)
Beam angle	120°
Color rendering index (CRI)	Ra ≤ 98
On/Off cycles	25000
Lifetime (L70B50)	40000 h
Useful luminous flux of the light source reference	in a sphere (360°)

### **Additional information**

Place of installation	Desk
Place of application	indoor
Housing colour	White
Ultraviolet radiation	no
Operating temperature range	-10° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	Plastic

#### **Dimensions**

EAN	4820246480642
In the package	1 pc.
Outer box	6 pcs.
Height	625 mm
Width	204 mm



#### **INDEX: VL-TF14W**

**Depth** 204 mm

## Signs marking goods

**Packaging marking** 

CE, Utilization







The low reflection index of the lamp light reduces discomfort caused by glare from illuminated objects







Short touch - ON/OFF Long touch - smooth dimming



#### **INDEX: VL-TF14W**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product must be used indoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



Rated beam angle



Rated On/off cycles



Nominal lifetime (hours)



The product does not emit ultraviolet light



The product supports brightness adjustment



Operating temperatures range



The product does not contain mercury



Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture

Date: 18.11.2025