

## TECHNICAL CARD



LED Dimmable Desk Lamp



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX<sup>®</sup>



120°



ON/OFF

25 000



40 000 h



Free



Dimmable



-10° +40°C



Free



IP20

## WARRANTY 2 YEARS

### General parameters

Light source or containing product	Containing product
Control gear replaceable	yes
Light source replaceable	no

### Type of light source

Energy efficiency class of the contained light source	F
Dimmable	yes
Technology	LED

### Electrical parameters

On-mode power (P <sub>on</sub> )	17 W
Rated voltage, frequency	AC 100-240 V, 50/60 Hz
Rated current	150 mA
Input interface	AC adapter
Electric shock protection class	II

### Photometric parameters

## VIDEX VL-TF14W

### INDEX: VL-TF14W

Luminous flux	1000 Lm
Useful luminous flux of the contained light source (Φ <sub>use</sub> )	1700 Lm
Correlated color temperature	4100K (neutral white)
Beam angle	120°
Color rendering index (CRI)	Ra ≤ 98
On/Off cycles	25000
Lifetime (L70B50)	40000 h
Useful luminous flux of the light source reference	in a sphere (360°)

### Additional information

Place of installation	Desk
Place of application	indoor
Housing colour	White
Ultraviolet radiation	no
Operating temperature range	-10° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	Plastic

### Dimensions

EAN	4820246480642
In the package	1 pc.
Outer box	6 pcs.
Height	625 mm
Width	204 mm

# VIDEX®

## VIDEX VL-TF14W

### INDEX: VL-TF14W

Depth 204 mm

#### Signs marking goods

Packaging marking CE, Utilization



The low reflection index of the lamp light reduces discomfort caused by glare from illuminated objects

**UGR < 19**



# VIDEX®

## VIDEX VL-TF14W

### INDEX: VL-TF14W

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.



Short touch - ON/OFF  
Long touch - smooth dimming



A high color rendering index allows  
the lamp to transmit the most natural  
colors of objects

**Ra ≤ 98**



The product must be used indoors



Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



120°

Rated beam angle



40 000 h

Rated On/off cycles

Nominal lifetime (hours)



Free

The product does not emit ultraviolet light



Dimmable

The product supports brightness adjustment



-10° +40°C

Operating temperatures range



Free

The product does not contain mercury



IP20

Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture