



INDEX: VLE-TF07B

TECHNICAL CARD





LED Dimmable Floor Lamp







VIDEX-FLOOR-LAMP-TOKYO-BLACK

INDEX: VLE-TF07B















WARRANTY 2 YEARS

General parameters

Control gear replaceable	yes
Light source replaceable	no

Type of light source

Energy class of the light source	F
Dimmable	5-step

Electrical parameters

Electric shock protection class	
Input interface	AC adapter
Rated current	105 mA
Rated voltage, frequency	AC 100-240 V, 50/60 Hz
Rated voltage, frequency	

Photometric parameters

Useful luminous flux of the light source	1200 lm
(Φuse)	1200 LIII

Correlated color temperature	5500K (cold white), 4000K (neutral white), 3000K (warm white)
Beam angle	120°
Color rendering index (CRI)	Ra > 80
Lifetime	30000 h
On/Off cycles	20000
Useful luminous flux of the light source reference	in a sphere (360°)

Additional information

Place of installation	Desk, Floor
Place of application	indoor
Housing colour	Black
Ultraviolet radiation	no
Operating temperature range	-10° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	Aluminum, Plastic

Dimensions

EAN	5904405541241
Height	1733 mm
Width	230 mm
Depth	230 mm
Outer box	4 pcs.



VIDEX-FLOOR-LAMP-TOKYO-BLACK


INDEX: VLE-TF07B







VIDEX-FLOOR-LAMP-TOKYO-BLACK

INDEX: VLE-TF07B







We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024