

## TECHNICAL CARD



LED Downlight Fixture



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



## WARRANTY 2 YEARS

### NEUTRAL WHITE



### 4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

## General parameters

**Control gear replaceable** -

**Light source replaceable** by the producer

## Type of light source

**Energy class of the light source** F

**Dimmable** no

## Electrical parameters

**On-mode power (Pon)** 4 W

**Rated voltage, frequency** AC 220-240 V, 50/60 Hz

**Rated current** 30 mA

**Input interface** Free wire ends

**Electric shock protection class** II

## VIDEX-DOWNLIGHT-LED-DLBR-044-4W-NW

### INDEX: VLE-DLBR-044

## Photometric parameters

<b>Useful luminous flux of the light source (Φuse)</b>	380 Lm
<b>Correlated color temperature</b>	4000K (neutral white)
<b>Beam angle</b>	120°
<b>Color rendering index (CRI)</b>	Ra > 80
<b>Lifetime</b>	30000 h
<b>On/Off cycles</b>	20000
<b>Useful luminous flux of the light source reference</b>	in a sphere (360°)

## Additional information

<b>Place of installation</b>	Ceiling, Recessed
<b>Place of application</b>	indoor
<b>Housing colour</b>	White
<b>Ultraviolet radiation</b>	no
<b>Operating temperature range</b>	-20° +40°C
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP20
<b>Housing material</b>	Plastic

## Dimensions

<b>EAN</b>	5904405540855
<b>Height</b>	98 mm
<b>Width</b>	98 mm

**VIDEX**<sup>®</sup>

VIDEX-DOWNLIGHT-LED-DLBR-044-4W-NW

**INDEX: VLE-DLBR-044****Depth** 26 mm**Outer box** 40 pcs.

**INDEX: VLE-DLBR-044**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

