

INDEX: VL-AR09061B

TECHNICAL CARD



Led Fixture Architectural













VIDEX VL-AR09061B

INDEX: VL-AR09061B

Ingress protection







end user

LED

| 7 | | Į |
|---|------|---|
| | 1/2/ | 1 |
| | IK07 | |

WARRANTY 2 YEARS

General parameters

Light source replaceable

Type of light source

Technology

| Housing material | Aluminum |
|------------------|----------|
| | |

IP54

Dimensions

| EAN | 4820246485975 |
|------------------|---------------|
| Height | 600 mm |
| Width | 60 mm |
| Depth | 80 mm |
| Outer box | 10 pcs. |
| Unit nett weight | 1kg |
| In the package | 1 pc. |

Electrical parameters

| Rated voltage, frequency | AC 220-240 V, 50/60 Hz |
|---------------------------------|---------------------------|
| Input interface | Terminal block |
| Electric shock protection class | I |

Signs marking goods

| Packaging marking | CE, Utilization |
|-------------------|-----------------|
|-------------------|-----------------|

Additional information

| Place of installation | Floor |
|--|--------------------|
| Place of application | indoor, outdoor |
| Impact protection | IK07 |
| Housing colour | Black |
| Diffuser material | PC |
| Operating temperature range | -25° +50°C |
| Suitable for installation in normally flammable surfaces | yes |
| Mercury content | Does not contain |
| | |





VIDEX VL-AR09061B

INDEX: VL-AR09061B














VIDEX VL-AR09061B

INDEX: VL-AR09061B

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.

Date: 14.11.2024