

## TECHNICAL CARD



LED Frameless Downlight Fixture



# VIDEX®



## WARRANTY 2 YEARS



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

## General parameters

Control gear replaceable	by the producer
--------------------------	-----------------

Light source replaceable	by the producer
--------------------------	-----------------

## Type of light source

Energy class of the light source	E
----------------------------------	---

Dimmable	no
----------	----

## Electrical parameters

Rated voltage, frequency	AC 85-265 V, 50/60 Hz
--------------------------	-----------------------

Rated current	210 mA
---------------	--------

Input interface	Free wire ends
-----------------	----------------

Electric shock protection class	II
---------------------------------	----

## VIDEX-DOWNLIGHT-LED-DLFR-24W-NW

### INDEX: VLE-DLFR-244

## Photometric parameters

Useful luminous flux of the contained light source ( $\Phi_{use}$ )	2950 Lm
---	---------

Correlated color temperature	4000K (neutral white)
------------------------------	-----------------------

Beam angle	120°
------------	------

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

Lifetime	30000 h
----------	---------

On/Off cycles	20000
---------------	-------

Useful luminous flux of the light source reference	in a sphere (360°)
--	--------------------

## Additional information

Place of installation	Ceiling, Recessed
-----------------------	-------------------

Place of application	indoor
----------------------	--------

Housing colour	White
----------------	-------

Diffuser material	Plastic
-------------------	---------

Ultraviolet radiation	no
-----------------------	----

Operating temperature range	-20° +40°C
-----------------------------	------------

Mercury content	Does not contain
-----------------	------------------

Ingress protection	IP54 / IP20
--------------------	-------------

Housing material	Iron alloy
------------------	------------

## Dimensions




EAN	5904405540800
-----	---------------

Height	172 mm
--------	--------

Width	172 mm
-------	--------

**VIDEX**<sup>®</sup>

VIDEX-DOWNLIGHT-LED-DLFR-24W-NW

**INDEX: VLE-DLFR-244****Depth** 20 mm**Outer box** 20 pcs.

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

Date: 22.02.2025