

INDEX: VLF-H015

TECHNICAL CARD



LED Headlamp











INDEX: VLF-H015

Correlated color temperature	5000K (neutral white)
Peak luminous intensity	1800 cd

WARRANTY 2 YEARS



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

General parameters

Operation mode	HIGH, LOW, STROBE, RED ON, RED FLASH
Light source replaceable	no

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	5 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the contained	330 Lm
light source (Φ use)	330 LIII

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery capacity	850 mAh
Battery type	Li-ion
Battery indicator	4 level
Battery replaceable	no
Mercury content	Does not contain
Ingress protection	IP67
Housing material	PC

Dimensions

EAN	4820246480987
In the package	1 pc.
Outer box	20 pcs.
Height	32 mm
Width	65 mm
Depth	35 mm
Unit nett weight	73g

Signs marking goods



INDEX: VLF-H015

Packaging marking

CE, Utilization







































INDEX: VLF-H015





We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The protection is effective in case of a fall from a height of up to 1 meter



The product is incompatible with light regulators



...e product is incompatible than ignerogata.



Operating temperatures range



- The product does not contain mercury



Class of protection against dust and moisture.

The product has full protection against dust and short-term immersion in water up to a depth of 1 meter

Date: 18.11.2025