

## TECHNICAL CARD



LED Headlamp

# VIDEX®



Not Dimmable



Free



IP65

## WARRANTY 2 YEARS

### NEUTRAL WHITE



### 5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtalno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutrus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

## General parameters

**Light source replaceable** no

## Type of light source

**Dimmable** no

**Technology** LED

## Electrical parameters

**On-mode power (Pon)** 5 W + COB

**Input interface** Micro USB

## Photometric parameters

**Useful luminous flux of the light source (Φ<sub>use</sub>)** 410 Lm

**Correlated color temperature** 5000K (neutral white)

**Peak luminous intensity** 1840 cd

## VIDEX VLF-H035C 410Lm 5000K

## INDEX: VLF-H035C

## Additional information

<b>Housing colour</b>	Black
<b>Operating temperature range</b>	-20° +40°C
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP65
<b>Housing material</b>	PC

## Dimensions

<b>EAN</b>	4820246481069
<b>Height</b>	46 mm
<b>Width</b>	70 mm
<b>Depth</b>	38 mm
<b>Outer box</b>	20 pcs.
<b>Unit nett weight</b>	108g
<b>In the package</b>	1 pc.

## Signs marking goods

**Packaging marking** CE, Utilization

**VIDEX<sup>®</sup>**

VIDEX VLF-H035C 410Lm 5000K

**INDEX: VLF-H035C**

**VIDEX<sup>®</sup>**

VIDEX VLF-H035C 410Lm 5000K

**INDEX: VLF-H035C**

# VIDEX®

VIDEX VLF-H035C 410Lm 5000K

INDEX: VLF-H035C



**VIDEX®**

MODEL | **H035C**

RECHARGEABLE LED HEADLAMP  
WITH SENSOR

**410**  
MAX LUMENS



1800 mAh  
LI-ION



DUAL  
LIGHT



IP65



1m  
SHOCKPROOF



RED  
LIGHT

**VIDEX®**

MODEL | **H035C**

COB 5W  
5000K

CREE XTE 5W  
5000K



Cree XTE 5W 5000K (Neutral white). Beam angle 85°, distance up to 86 m.  
COB 5W 5000K (Neutral white). Beam angle 120°, distance up to 14 m.

# VIDEX®

## VIDEX VLF-H035C 410Lm 5000K

### INDEX: VLF-H035C



# VIDEX®

## VIDEX VLF-H035C 410Lm 5000K

### INDEX: VLF-H035C



INDEX: VLF-H035C

**VIDEX®** DURABLE SHELL  
MODEL | H035C



The body is made of thick polyamide - a hard polymer that protects the device from falls and other difficult environmental conditions.

**VIDEX®** MICRO-USB  
MODEL | H035C



Charging port protected from dirt and water by the silicone plug.

**VIDEX®**  
MODEL | H035C



BATTERY INDICATION

- - ≤ 100% charge
- - ≤ 80% charge
- - ≤ 60% charge
- - ≤ 40% charge
- - ≤ 20% charge
- - ≤ battery discharged

**VIDEX®** NYLON STRAP  
MODEL | H035C




Wear-resistant and elastic headband fits comfortably on the head.





VIDEX VLF-H035C 410Lm 5000K

INDEX: VLF-H035C



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.