

VIDEX[®]

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

TECHNICAL CARD



LED Headlamp



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



Not Dimmable




Free



IP65

WARRANTY 2 YEARS

NEUTRAL WHITE



5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevrtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutrus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

General parameters

Light source replaceable no

Type of light source

Dimmable no

Technology LED

Electrical parameters

On-mode power (Pon) 5 W

Input interface Micro USB

Photometric parameters

Useful luminous flux of the light source (Φ_{use}) 270 Lm

Correlated color temperature 5000K (neutral white)

Peak luminous intensity 700 cd

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

Additional information

Housing colour	Black
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP65
Housing material	PC

Dimensions

EAN	4820246481052
Height	46 mm
Width	70 mm
Depth	38 mm
Outer box	20 pcs.
Unit nett weight	122g
In the package	1 pc.

Signs marking goods

Packaging marking CE, Utilization

VIDEX®

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

VIDEX[®]

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

VIDEX[®]

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.