

**VIDEX®**

VIDEX VLF-H056 1400Lm 6500K

**INDEX: VLF-H056**

## TECHNICAL CARD



LED Headlamp



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX<sup>®</sup>



## WARRANTY 3 YEARS

### COLD WHITE



### 6500K

Cold White / Zimna biel / Studena bila / Blanc froid / Studená biela / Koud wit / Hideg feher / Hladno bela / Hladno bijela / Kaltweiß / Alb rece / Šalta balta / Auksti balta / Kúlm valge.

## General parameters

**Light source replaceable** no

## Type of light source

**Dimmable** no

**Technology** LED

## Electrical parameters

**On-mode power (Pon)** 20 W

**Input interface** USB-C

## Photometric parameters

**Useful luminous flux of the light source (Φ<sub>use</sub>)** 1400 Lm

**Correlated color temperature** 6500K (cold white)

**Peak luminous intensity** 6480 cd

## Additional information

## VIDEX VLF-H056 1400Lm 6500K

### INDEX: VLF-H056

<b>Housing colour</b>	Black
<b>Fall protection</b>	1 m
<b>Operating temperature range</b>	-20° +40°C
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP65
<b>Housing material</b>	PC

## Dimensions

<b>EAN</b>	4820246481632
<b>Height</b>	48 mm
<b>Width</b>	65 mm
<b>Depth</b>	32 mm
<b>In the package</b>	1 pc.
<b>Outer box</b>	20 pcs.
<b>Unit nett weight</b>	171g

## Signs marking goods

**Packaging marking** CE, Utilization

# VIDEX®

VIDEX VLF-H056 1400Lm 6500K

INDEX: VLF-H056



**VIDEX<sup>®</sup>**

VIDEX VLF-H056 1400Lm 6500K

**INDEX: VLF-H056**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

Date: 21.01.2025