

INDEX: VLF-H066A

TECHNICAL CARD



LED Headlamp



INDEX: VLF-H066A











Peak luminous intensity

4000 cd

WARRANTY 3 YEARS

General parameters

Operation mode	TURBO, RED HIGH, RED LOW, RED FLASH, FLOOD HIGH, FLOOD MIDDLE, FLOOD LOW, SPOT HIGH, SPOT MIDDLE, SPOT LOW
Light source replaceable	no
Battery Warranty	1 year

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	20 W, 10 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the contained light source (Фuse)	2000 Lm
Correlated color temperature	5000K (neutral white), Red

Additional information

Housing colour	Black
Fall protection	2 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V, 3 V
Battery capacity	2200 mAh
Battery type	Li-ion 18650, CR123A (2pcs)
Battery indicator	4 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP67
Housing material	Aviation anodized aluminum

Dimensions

EAN	4820246488143
In the package	1 pc.
Outer box	20 pcs.
Height	25.5 mm
Width	100 mm
Depth	34 mm
Unit nett weight	165g

Signs marking goods



INDEX: VLF-H066A

Packaging marking

CE, Utilization











INDEX: VLF-H066A













INDEX: VLF-H066A









INDEX: VLF-H066A



We reserve the right to make technical changes. The data contained in this material is

not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The protection is effective in case of a fall from a height of up to 2 meters



The product is incompatible with light regulators



Operating temperatures range



The product does not contain mercury



Class of protection against dust and moisture.

The product has full protection against dust and short-term immersion in water up to a depth of 1

Date: 18.11.2025