

TECHNICAL CARD



LED Panel



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



120°



Ra ≥ 80



30 000 h

ON/OFF
20 000

Free



-20° +40°C



Not Dimmable



Free



IP20

WARRANTY 3 YEARS

NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

General parameters

Control gear replaceable by the producer

Light source replaceable by the producer

Type of light source

Energy class of the light source D

Dimmable no

Electrical parameters

Rated voltage, frequency AC 175-265 V, 50/60 Hz

Rated current 300 mA

Input interface Free wire ends

Electric shock protection class II

VIDEX-PANEL-LED-40W-P62-404W-NW

INDEX: VLE-P62-404W

Photometric parameters

Useful luminous flux of the light source (Φuse) 5200 Lm

Correlated color temperature 4000K (neutral white)

Beam angle 120°

Color rendering index (CRI) Ra > 80

Lifetime 30000 h

On/Off cycles 20000

Useful luminous flux of the light source reference in a sphere (360°)

Additional information

Place of installation Armstrong ceiling, Ceiling

Place of application indoor

Housing colour White

Diffuser material Plastic

Ultraviolet radiation no

Operating temperature range -20° +40°C

Mercury content Does not contain

Ingress protection IP20

Housing material Aluminum

Dimensions



EAN 5904405540640

Height 620 mm

Width 620 mm

VIDEX[®]

VIDEX-PANEL-LED-40W-P62-404W-NW

INDEX: VLE-P62-404W**Depth** 10.8 mm**Outer box** 5 pcs.

INDEX: VLE-P62-404W

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

