

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

TECHNICAL CARD



LED Portable Flashlight



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



WARRANTY 3 YEARS



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

General parameters

Light source replaceable no

Type of light source

Dimmable no

Technology LED

Electrical parameters

On-mode power (Pon) 10 W

Input interface USB-C

Photometric parameters

Useful luminous flux of the contained light source (Φ_{use}) 1200 Lm

Correlated color temperature 5000K (neutral white)

Peak luminous intensity 11600 cd

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

Additional information

Housing colour Black

Fall protection 1 m

Operating temperature range -20° +40°C

Battery type Li-ion 18650

Battery voltage 3.7 V

Battery capacity 2200 mAh

Battery indicator 4 level

Battery replaceable yes

Mercury content Does not contain

Ingress protection IP44

Housing material Aviation anodized aluminum

Dimensions

EAN 4820246481021

Height 140 mm

Width 29 mm

Depth 29 mm

In the package 1 pc.

Outer box 20 pcs.

Unit nett weight 99g

Signs marking goods

Packaging marking CE, Utilization

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



VIDEX[®]

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

VIDEX[®]

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

VIDEX[®]

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

A composite image featuring the flashlight. The top portion shows the flashlight resting on a green tactical vest in an outdoor setting. Below this, the text reads "VIDEX[®] MODEL A105Z ZOOMABLE RECHARGEABLE FLASHLIGHT". The bottom portion is a dark background with a close-up of the flashlight's lens and body. Technical specifications are listed at the bottom: "1200 MAX LUMENS", "ZOOM", "TYPE-C", "IP44", and "1m IMPACT RESISTANCE".

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K


INDEX: VLF-A105Z



VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z





VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.

- The product meets the requirements of EU directives
- It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste
- The protection is effective in case of a fall from a height of up to 1 meter
- The product is incompatible with light regulators
- Operating temperatures range
- The product does not contain mercury
- Class of protection against dust and moisture. Protection against solid foreign objects with a diameter of 1 mm and greater and against water splashes