

**VIDEX<sup>®</sup>**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

## TECHNICAL CARD



LED Portable Flashlight



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



## WARRANTY 3 YEARS

### NEUTRAL WHITE



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

## General parameters

**Light source replaceable** no

## Type of light source

**Dimmable** no

**Technology** LED

## Electrical parameters

**On-mode power (Pon)** 10 W

**Input interface** USB-C

## Photometric parameters

**Useful luminous flux of the contained light source (Φ<sub>use</sub>)** 1200 Lm

**Correlated color temperature** 5000K (neutral white)

**Peak luminous intensity** 11600 cd

## VIDEX VLF-A105Z 1200Lm 5000K

## INDEX: VLF-A105Z

## Additional information

**Housing colour** Black

**Fall protection** 1 m

**Operating temperature range** -20° +40°C

**Battery type** Li-ion 18650

**Battery voltage** 3.7 V

**Battery capacity** 2200 mAh

**Battery indicator** 4 level

**Battery replaceable** yes

**Mercury content** Does not contain

**Ingress protection** IP44

**Housing material** Aviation anodized aluminum

## Dimensions

**EAN** 4820246481021

**Height** 140 mm

**Width** 29 mm

**Depth** 29 mm

**In the package** 1 pc.

**Outer box** 20 pcs.

**Unit nett weight** 99g

## Signs marking goods

**Packaging marking** CE, Utilization

**VIDEX®**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

**VIDEX<sup>®</sup>**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

**VIDEX<sup>®</sup>**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

# VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



A composite image featuring the flashlight. The top portion shows the flashlight resting on a green tactical bag with MOLLE webbing in a natural outdoor setting. Below this is a dark grey product information box containing the VIDEX logo, model number A105Z, and the text 'ZOOMABLE RECHARGEABLE FLASHLIGHT'. The bottom portion shows the flashlight with a beam of light shining from its lens. At the bottom left of this section, it says '1200 MAX LUMENS'. At the bottom right, there are four icons: 'ZOOM' (represented by three dots of increasing size), 'TYPE-C' (a USB-C port icon), 'IP44' (a rain cloud icon), and '1m IMPACT RESISTANCE' (an icon of a hammer hitting a surface).

# VIDEX®

## VIDEX VLF-A105Z 1200Lm 5000K



### INDEX: VLF-A105Z



# VIDEX®

## VIDEX VLF-A105Z 1200Lm 5000K

### INDEX: VLF-A105Z





# VIDEX®

## VIDEX VLF-A105Z 1200Lm 5000K

### INDEX: VLF-A105Z





VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.

- The product meets the requirements of EU directives
- It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste
- The protection is effective in case of a fall from a height of up to 1 meter
- Operating temperatures range
- The product is incompatible with light regulators
- The product does not contain mercury
- Class of protection against dust and moisture. Protection against solid foreign objects with a diameter of 1 mm and greater and against water splashes