

**VIDEX®**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

## TECHNICAL CARD



LED Portable Flashlight



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



## WARRANTY 3 YEARS



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutrallyno bijela / Neutralweiß / Alb neutru / Neutraus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

### General parameters

<b>Operation mode</b>	TURBO, HIGH, MIDDLE, LOW, MOON, SOS
<b>Light source replaceable</b>	no
<b>Battery Warranty</b>	1 year

### Type of light source

<b>Dimmable</b>	no
<b>Technology</b>	LED

### Electrical parameters

<b>On-mode power (Pon)</b>	10 W
<b>Input interface</b>	USB-C

### Photometric parameters

<b>Useful luminous flux of the contained light source (Φ<sub>use</sub>)</b>	1200 Lm
---	---------

## VIDEX VLF-A105Z 1200Lm 5000K

### INDEX: VLF-A105Z

<b>Peak luminous intensity</b>	11600 cd
<b>Correlated color temperature</b>	5000K (neutral white)

### Additional information

<b>Housing colour</b>	Black
<b>Fall protection</b>	1 m
<b>Operating temperature range</b>	-20° +40°C
<b>Battery voltage</b>	3.7 V
<b>Battery type</b>	Li-ion 18650
<b>Battery capacity</b>	2200 mAh
<b>Battery indicator</b>	4 level
<b>Battery replaceable</b>	yes
<b>Mercury content</b>	Does not contain
<b>Ingress protection</b>	IP44
<b>Housing material</b>	Aviation anodized aluminum

### Dimensions

<b>EAN</b>	4820246481021
<b>In the package</b>	1 pc.
<b>Height</b>	140 mm
<b>Outer box</b>	20 pcs.
<b>Width</b>	29 mm
<b>Depth</b>	29 mm
<b>Unit nett weight</b>	99g

# VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

## Signs marking goods

Packaging marking

CE, Utilization



**VIDEX<sup>®</sup>**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

**VIDEX<sup>®</sup>**

VIDEX VLF-A105Z 1200Lm 5000K

**INDEX: VLF-A105Z**

# VIDEX<sup>®</sup>

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



**VIDEX<sup>®</sup>**  
MODEL | A105Z

ZOOMABLE RECHARGEABLE  
FLASHLIGHT

**1200**  
MAX LUMENS

ZOOM  
TYPE-C  
IP44  
1m  
IMPACT  
RESISTANCE

A composite image featuring the flashlight on a tactical vest, a product information box, and a flashlight with a beam of light. The top part shows the flashlight resting on a green tactical vest in a natural outdoor setting. Below this is a dark grey box containing the brand name 'VIDEX' and model 'A105Z', followed by the text 'ZOOMABLE RECHARGEABLE FLASHLIGHT'. At the bottom left of this box, it says '1200 MAX LUMENS'. At the bottom right, there are four icons: 'ZOOM' (two dots), 'TYPE-C' (USB-C symbol), 'IP44' (rain cloud), and '1m IMPACT RESISTANCE' (falling object).

# VIDEX®

## VIDEX VLF-A105Z 1200Lm 5000K

### INDEX: VLF-A105Z



# VIDEX®

## VIDEX VLF-A105Z 1200Lm 5000K

### INDEX: VLF-A105Z



# VIDEX®

## VIDEX VLF-A105Z 1200Lm 5000K

### INDEX: VLF-A105Z





VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.

- The product meets the requirements of EU directives
- It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste
- The protection is effective in case of a fall from a height of up to 1 meter
- The product is incompatible with light regulators
- Operating temperatures range
- The product does not contain mercury
- Class of protection against dust and moisture. Protection against solid foreign objects with a diameter of 1 mm and greater and against water splashes