

INDEX: VLF-A156R

TECHNICAL CARD





LED Portable Flashlight

10960 cd



VIDEX VLF-A156R 1700Lm 6500K

INDEX: VLF-A156R











WARRANTY 3 YEARS



Cold White / Zimna biel / Studena bila / Blanc froid / Studená biela / Koud wit / Hideg feher / Hladno bela / Hladno bijela / KaltweiB / Alb rece / Šalta balta / Auksti balta / Kűlm valge.

General parameters

Light source replaceable Battery Warranty	no 1 vear
Operation mode	TURBO, HIGH, MIDDLE, LOW, STROBE

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	20 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the contained light source (Фuse)	1700 Lm
Correlated color temperature	6500K (cold white)

Additional information

Peak luminous intensity

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery capacity	4000 mAh
Battery type	Li-ion 21700, Li-ion 18650
Battery indicator	4 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP68
Housing material	Aviation anodized aluminum

Dimensions

EAN	4820246480994
In the package	1 pc.
Outer box	20 pcs.
Height	131 mm
Width	31 mm
Depth	31 mm
Unit nett weight	85g

Signs marking goods

Packaging marking	CE, Utilization
-------------------	-----------------









































INDEX: VLF-A156R





We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The protection is effective in case of a fall from a height of up to 1 meter



The product is incompatible with light regulators





- Operating temperatures range



The product does not contain mercury



Class of protection against dust and moisture.
The product has full protection against dust and prolonged immersion in water at a depth of more than 1 meter

Date: 25.11.2025