

VIDEX®

VIDEX VLF-A231Z 1500Lm 5000K

INDEX: VLF-A231Z

TECHNICAL CARD



LED Portable Flashlight



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



WARRANTY 3 YEARS

NEUTRAL WHITE



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

General parameters

Light source replaceable no

Type of light source

Dimmable no

Technology LED

Electrical parameters

On-mode power (Pon) 20 W

Input interface USB-C

Photometric parameters

Correlated color temperature 5000K (neutral white)

Useful luminous flux of the contained light source (Φuse) 1500 Lm

Peak luminous intensity 12000 cd

VIDEX VLF-A231Z 1500Lm 5000K

INDEX: VLF-A231Z

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery type	Li-ion 21700
Battery voltage	3.7 V
Battery capacity	4000 mAh
Battery indicator	4 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP67
Housing material	Anodized aluminum

Dimensions

EAN	4820246484992
Height	140 mm
Width	30 mm
Depth	30 mm
In the package	1 pc.
Outer box	20 pcs.
Unit nett weight	87g

Signs marking goods

Packaging marking CE, Utilization

VIDEX[®]

VIDEX VLF-A231Z 1500Lm 5000K

INDEX: VLF-A231Z

VIDEX[®]

VIDEX VLF-A231Z 1500Lm 5000K

INDEX: VLF-A231Z

VIDEX[®]

VIDEX VLF-A231Z 1500Lm 5000K

INDEX: VLF-A231Z

VIDEX®

VIDEX VLF-A231Z 1500Lm 5000K

INDEX: VLF-A231Z



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegró opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Kraków, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



— The protection is effective in case of a fall from a height of up to 1 meter



— The product is incompatible with light regulators



— Operating temperatures range



— The product does not contain mercury



— Class of protection against dust and moisture. The product has full protection against dust and short-term immersion in water up to a depth of 1 meter

Date: 14.03.2025