

**INDEX: VLF-A244RH** 

# **TECHNICAL CARD**



LED Portable Flashlight



### 9

# VIDEX VLF-A244RH 600Lm 5000K

#### **INDEX: VLF-A244RH**











e IP66

Useful luminous flux of the contained light source (Фuse)	600 Lm
Correlated color temperature	5000K (neutral white)
Peak luminous intensity	2800 cd

#### **WARRANTY 3 YEARS**

# NEUTRAL WHITE 5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutra

#### **General parameters**

Operation mode	TURBO, MIDDLE, LOW, MOON, RED HIGH, RED LOW, RED FLASH
Light source replaceable	no
Battery Warranty	1 year

# Type of light source

Dimmable	no
Technology	LED

#### **Electrical parameters**

On-mode power (Pon)	10 W
Input interface	USB-C

#### **Photometric parameters**

#### **Additional information**

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery capacity	800 mAh
Battery type	Li-ion 16340
Battery indicator	4 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP66
Housing material	Aviation anodized aluminum

#### **Dimensions**

EAN	4820246484220
In the package	1 pc.
Outer box	20 pcs.
Height	87.4 mm
Width	23 mm
Depth	22.5 mm
Unit nett weight	 59g





**INDEX: VLF-A244RH** 

# Signs marking goods

Packaging marking

CE, Utilization











# VIDEX VLF-A244RH 600Lm 5000K

#### **INDEX: VLF-A244RH**









We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste  $\,$ 



The protection is effective in case of a fall from a height of up to 1 meter



The product is incompatible with light regulators



Operating temperatures range



- The product does not contain mercury



Class of protection against dust and moisture. The product has full protection against dust and powerful water jets

Date: 18.11.2025