

TECHNICAL CARD



LED Portable Flashlight



VIDEX®



WARRANTY 3 YEARS

NEUTRAL WHITE



5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevrtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

General parameters

Light source replaceable no

Type of light source

Dimmable no

Technology LED

Electrical parameters

On-mode power (Pon) 10 W

Input interface USB-C

Photometric parameters

Useful luminous flux of the contained light source (Φ_{use}) 900 Lm

Correlated color temperature 5000K (neutral white)

Peak luminous intensity 9460 cd

VIDEX VLF-A353 900Lm 5000K

INDEX: VLF-A353

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP66
Housing material	Anodized aluminum

Dimensions

EAN	4820246485029
Height	134.5 mm
Width	30 mm
Depth	30 mm
In the package	1 pc.
Outer box	40 pcs.
Unit nett weight	102g

Signs marking goods

Packaging marking CE, Utilization

INDEX: VLF-A353



VIDEX[®]

VIDEX VLF-A353 900Lm 5000K

INDEX: VLF-A353

VIDEX®

VIDEX VLF-A353 900Lm 5000K

INDEX: VLF-A353

VIDEX®

VIDEX VLF-A353 900Lm 5000K

INDEX: VLF-A353

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.