

INDEX: VLF-A355C

TECHNICAL CARD





LED Portable Flashlight





INDEX: VLF-A355C











IP6

Correlated color temperature	5000K (neutral white)
Peak luminous intensity	8500 cd

WARRANTY 3 YEARS

NEUTRAL WHITE 5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutra

General parameters

Operation mode	TURBO, HIGH, MIDDLE, LOW, MOON, SOS
Light source replaceable	no
Battery Warranty	1 year

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	20 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the contained light source (Фuse)	4000 Lm

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery type	Li-ion 18650, Li-ion 26650
Battery capacity	5000 mAh
Battery indicator	4 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP68
Housing material	Aviation anodized aluminum

Dimensions

EAN	4820246483117
In the package	1 pc.
Outer box	20 pcs.
Height	130 mm
Width	34 mm
Depth	33 mm
Unit nett weight	103g



INDEX: VLF-A355C

Signs marking goods

Packaging marking

CE, Utilization











































INDEX: VLF-A355C





We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



 The protection is effective in case of a fall from a height of up to 1 meter



- The product is incompatible with light regulators



Operating temperatures range



The product does not contain mercury



Class of protection against dust and moisture.

The product has full protection against dust and prolonged immersion in water at a depth of more than 1 meter

Date: 26.11.2025