

TECHNICAL CARD




LED Rechargeable Desk Lamp



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

INDEX: VLE-TF18W



WARRANTY 2 YEARS

General parameters

Control gear replaceable no

Light source replaceable no

Type of light source

Dimmable 3-step

Directional (DLS) or non-directional (NDLS) light source -

Connected light source (cls) -

Color-tunable light source yes

Mains (MLS) or non-mains (NMLS) light source -

High luminance light source -

Anti-glare shield -

Technology LED

Electrical parameters

On-mode power (Pon) 3 W

Rated voltage, frequency DC 5 V

Rated current 2 A

Input interface USB-C

Electric shock protection class III

Displacement factor (cos ϕ 1) -

Survival factor 1

Photometric parameters

Luminous flux 300 Lm

Correlated color temperature 5500K (cold white), 4000K (neutral white), 3000K (warm white)

Beam angle 120°

Color rendering index (CRI) Ra > 80

Lifetime 30000 h

On/Off cycles 20000

Chromaticity coordinates (x) 0.38

Chromaticity coordinates (y) 0.38

R9 colour rendering index value -

The lumen maintenance factor -

Colour consistency in MacAdam ellipses (SDCM) <math><6</math> (3000K), <math><6</math> (4000K), <math><6</math> (5500K)

Flicker metric (Pst LM) -

Stroboscopic effect metric (SVM) -

Additional information

Place of installation Desk

Place of application indoor

VIDEX®

VIDEX VLE-TF18W White

INDEX: VLE-TF18W

Housing colour	White
Ultraviolet radiation	no
Operating temperature range	-10° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	PC, PP, PS

Dimensions

EAN	5904405542545
Height	356 mm
Width	120 mm
Depth	120 mm
In the package	1 pc.
Outer box	20 pcs.

Signs marking goods

Packaging marking	Recycling of waste, CE, Utilization
--------------------------	-------------------------------------



VIDEX®


VIDEX VLE-TF18W White

INDEX: VLE-TF18W

VIDEX®

VIDEX VLE-TF18W White

INDEX: VLE-TF18W



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

Date: 23.02.2025