

INDEX: VLE-TF18W

TECHNICAL CARD



LED Rechargeable Desk Lamp













INDEX: VLE-TF18W



120°









20 000



Free











CCT 5500K



Free

WARRANTY 2 YEARS

Control gear replaceable	no
Light source replaceable	no
Light source or containing product	Containing product

Type of light source

Electrical parameters

On-mode power (Pon)

Dimmable	3-step
Directional or non-directional light source	-
Mains or non-mains light source	-
Connected light source (cls)	-
Colour-tuneable light source (CTLS)	yes
High luminance light source	-
Anti-glare shield	-
Technology	LED

3 W

Rated voltage, frequency	DC 5 V
Rated current	2 A
Input interface	USB-C
Electric shock protection class	III
Displacement factor (cos φ1)	-
Survival factor	1

Photometric parameters

Correlated color temperature	5500K (cold white), 4000K (neutral white), 3000K (warm white)
Beam angle	120°
Color rendering index (CRI)	Ra > 80
Lifetime	30000 h
On/Off cycles	20000
Chromaticity coordinates (x)	0.38
Chromaticity coordinates (y)	0.38
R9 colour rendering index value	-
The lumen maintenance factor	-
Flicker metric (Pst LM)	-
Colour consistency in MacAdam ellipses (SDCM)	<6 (3000K), <6 (4000K), <6 (5500K)
Stroboscopic effect metric (SVM)	-

Additional information

Place of installation	Desk
Place of application	indoor



INDEX: VLE-TF18W

Housing colour	White
Ultraviolet radiation	no
Operating temperature range	-10° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	PC. PP. PS

Dimensions

EAN	5904405542545
Height	356 mm
Width	120 mm
Depth	120 mm
Outer box	20 pcs.
In the package	1 pc.

Signs marking goods

	Recycling of
Packaging marking	waste, CE,
	Utilization







INDEX: VLE-TF18W












INDEX: VLE-TF18W









We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024