

## TECHNICAL CARD



LED RECHARGEABLE NIGHT LIGHT



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



Ra ≥ 80



Free



Dimmable



-20° +40°C



Free



IP20

## WARRANTY 2 YEARS

### General parameters

Light source replaceable	no
--------------------------	----

### Type of light source

Dimmable	yes
----------	-----

Technology	LED
------------	-----

### Electrical parameters

On-mode power (Pon)	0.5 W
---------------------	-------

Input interface	USB-C
-----------------	-------

Electric shock protection class	III
---------------------------------	-----

### Photometric parameters

Luminous flux	40 Lm
---------------	-------

Correlated color temperature	4000K (neutral white), RGB + White
------------------------------	--

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

CRI Min	Ra 80
---------	-------

CRI Max	Ra 88
---------	-------

## VIDEX VL-NL064W-G

### INDEX: VL-NL064W-G

### Additional information

Place of application	indoor
Housing colour	White
Ultraviolet radiation	no
Motion sensor	no
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery type	Li-pol
Battery capacity	750 mAh
Battery replaceable	no
Mercury content	Does not contain
Ingress protection	IP20
Housing material	ABS

### Dimensions

EAN	4820246489485
In the package	1 pc.
Height	65 mm
Outer box	100 pcs.
Width	65 mm
Depth	18 mm
Unit nett weight	42g

### Signs marking goods

Packaging marking	Recycling of waste, CE, Utilization
-------------------	-------------------------------------


**VIDEX®**

VIDEX VL-NL064W-G

**INDEX: VL-NL064W-G**




**VIDEX®**

VIDEX VL-NL064W-G

**INDEX: VL-NL064W-G**

**VIDEX<sup>®</sup>**

VIDEX VL-NL064W-G

**INDEX: VL-NL064W-G**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.



The product must be used indoors



Class III protection against electric shock - ensured by supplying a specific product with a safe very low voltage (SELV) without the risk of creating a voltage above safe levels



Waste recycling after the end of the product's service life



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



Ra ≥ 80

— Ra > 80 - color rendering index



Free

— The product does not emit ultraviolet light



Dimmable

— The product supports brightness adjustment



-20° +40°C

— Operating temperatures range



Free

— The product does not contain mercury



IP20

— Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture