

## TECHNICAL CARD



LED RECHARGEABLE NIGHT LIGHT with MOTION SENSOR



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.



Ra ≥ 80



Free



Dimmable



-20° +40°C



Free



IP20

## WARRANTY 2 YEARS

### General parameters

Light source replaceable	no
--------------------------	----

### Type of light source

Dimmable	yes
----------	-----

Technology	LED
------------	-----

### Electrical parameters

On-mode power (Pon)	2 W
---------------------	-----

Input interface	USB-C
-----------------	-------

Electric shock protection class	III
---------------------------------	-----

### Photometric parameters

Luminous flux	50 Lm, 110 Lm
---------------	---------------

Correlated color temperature	6500K (cold white), 4000K (neutral white), 3000K (warm white)
------------------------------	---

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

CRI Min	Ra 80
---------	-------

## VIDEX VL-NL108W

### INDEX: VL-NL108W

CRI Max	Ra 88
---------	-------

### Additional information

Place of application	indoor
----------------------	--------

Housing colour	White
----------------	-------

Ultraviolet radiation	no
-----------------------	----

Motion sensor	yes
---------------	-----

Sensor type	PIR
-------------	-----

Sensor time delay	20 s
-------------------	------

Sensor detection angle	120°
------------------------	------

Sensor detection distance	≤6 m
---------------------------	------

Operating temperature range	-20° +40°C
-----------------------------	------------

Battery voltage	3.7 V
-----------------	-------

Battery type	Li-ion
--------------	--------

Battery capacity	2000 mAh
------------------	----------

Battery replaceable	no
---------------------	----

Mercury content	Does not contain
-----------------	------------------

Ingress protection	IP20
--------------------	------

Housing material	ABS
------------------	-----

### Dimensions

EAN	4820246489515
-----	---------------

In the package	1 pc.
----------------	-------

Height	32 mm
--------	-------

Outer box	60 pcs.
-----------	---------

Width	120 mm
-------	--------

Depth	45 mm
-------	-------

**VIDEX**<sup>®</sup>

VIDEX VL-NL108W

**INDEX: VL-NL108W****Unit nett weight** 107g**Signs marking goods****Packaging marking**Recycling of  
waste, CE,  
Utilization

**VIDEX<sup>®</sup>**

VIDEX VL-NL108W

**INDEX: VL-NL108W**

**VIDEX®**



VIDEX VL-NL108W

**INDEX: VL-NL108W**

# VIDEX®

## VIDEX VL-NL108W












### INDEX: VL-NL108W



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

## INDEX: VL-NL108W

-  The product must be used indoors
-  Class III protection against electric shock - ensured by supplying a specific product with a safe very low voltage (SELV) without the risk of creating a voltage above safe levels
-  Waste recycling after the end of the product's service life
-  The product meets the requirements of EU directives
-  It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste
-  — Ra > 80 - color rendering index
-  — The product does not emit ultraviolet light
-  — The product supports brightness adjustment
-  — Operating temperatures range
-  — The product does not contain mercury
-  — Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture