

TECHNICAL CARD



LED T8 Glass Tube



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



330°



Ra ≥ 80



30 000 h

ON/OFF
20 000

IP20



Not Dimmable



Free

WARRANTY 2 YEARS

NEUTRAL WHITE



4000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálina biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

Type of light source

Energy class of the light source	E
---	---

Dimmable	no
-----------------	----

Electrical parameters

On-mode power (Pon)	18 W
----------------------------	------

Rated voltage, frequency	AC 185-265 V, 50/60 Hz
---------------------------------	------------------------

Rated current	156 mA
----------------------	--------

Photometric parameters

Useful luminous flux of the light source (Φ_{use})	2000 Lm
---	---------

Correlated color temperature	4000K (neutral white)
-------------------------------------	-----------------------

Beam angle	330°
-------------------	------

Color rendering index (CRI)	Ra > 80
------------------------------------	---------

VIDEX-T8-LED-120-18W-NW

INDEX: VLE-T8-18124

Lifetime	30000 h
-----------------	---------

On/Off cycles	20000
----------------------	-------

Useful luminous flux of the light source	in a sphere (360°)
---	--------------------

Additional information

Place of application	indoor
-----------------------------	--------

Ingress protection	IP20
---------------------------	------

Operating temperature range	-20° +40°C
------------------------------------	------------

Mercury content	Does not contain
------------------------	------------------

Dimensions

EAN	5904405540688
------------	---------------

Height	25 mm
---------------	-------


Outer box	30 pcs.
------------------	---------

Depth	1210 mm
--------------	---------

Width	25 mm
--------------	-------

VIDEX[®]

VIDEX-T8-LED-120-18W-NW

INDEX: VLE-T8-18124

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 22.06.2024