



INDEX: VSO-F515UU

TECHNICAL CARD



Portable solar charger





VIDEX VSO-F515UU 15W

INDEX: VSO-F515UU



WARRANTY 2 YEARS

Additional information

Ingress protection	IP68
Housing material	Mono + ETFE

Dimensions

EAN	4820246483544
In the package	1 pc.
Height	252 mm
Outer box	28 pcs.
Width	165 mm (unfolded 495 mm)
Depth	28 mm (unfolded 19 mm)
Unit nett weight	450g

Signs marking goods

	Recycling of
Packaging marking	waste, CE,
	Utilization







VIDEX VSO-F515UU 15W

INDEX: VSO-F515UU











H 19 mm

VIDEX 252 mm H 28 mm 495 mm

VIDEX VSO-F515UU 15W

INDEX: VSO-F515UU

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



Waste recycling after the end of the product's service life



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



Class of protection against dust and moisture. The product has full protection against dust and prolonged immersion in water at a depth of more than 1 meter

Date: 18.11.2025